O2T/F multisensor fire detector IQ8Quad with isolator



Features:

- The reliable O²T multisensor principle for consistent response performance at the highest level of security against false alarms
- · Individual control of the beacon
- · Loop powered no need for external power supply
- · No additional short address
- Automatic synchronization of various IQ8Quad alarm signaling devices
- High flash energy

Part-No.: 802383 Approval: VdS

In addition to smoke detection with the conventional O²T multisensor technology, the detector is provided with a built-in flash lamp.

Detection

Multisensor detectors with two built-in optical smoke sensors with different scattered light angles as well as additional heat detector sensor evaluation for detecting everything from smouldering fires to open fires with consistent response performance. Smoke sensor signal identification to ensure smoke classification and reduction of false alarms caused, for instance, by water vapour or dust. Each detector is provided with an integrated isolator.

Alarm signalling

The alarm signalling device is activated by the control panel. No further short address needs to be allocated. It is programmed with tools 8000 as of software version 1.05.

Common technical data

Operating voltage 8 ... 42 V DC Quiescent current @ 19 V DC 75 μ A Quiescent current @ FACP battery approx. 400 μ A Alarm current 10 mA ... 20 mA

Load factor 2
Lighting energy approx. 3 Y

Luminous intensity max. 15.8 cd peak / 2.63 cd effective

 $\begin{array}{lll} \mbox{Signal flashing lamp} & \mbox{red} \\ \mbox{Area to be monitored} & \mbox{110 m}^2 \\ \mbox{Height to be monitored} & \mbox{12 m} \end{array}$

Air velocity 0 m/s ... 25.4 m/s Application temperature -20 °C ... 65 °C Storage temperature -25 °C ... 75 °C ... 75 °C

Air humidity < 95 %

Type of protection IP43 (with base + options)

Material ABS plastic

Color white, similar to RAL 9010

Weight approx. 145 g

Detector specification EN 54-7:2006/-5 B:2000/ -17:2005, CEA 4021

Dimensions Ø: 117 mm H: 59 mm
Declaration of Performance DoP-20193130701



Not suitable for application in detector base Part No. 805591!

Accessories:

767800 Mounting bracket

805590 Standard detector base for IQ8Quad

Subject to change without notice! © 2020 Honeywell International Inc.