

**Multi-Fit Emergency Exit Sign 20M Viewing 1W Maintained Or Non-Maintained Manual**

*Partcode: ILEMES022 / Page: 1*



Emergency Exit Sign 20M Viewing 1W Maintained Or Non-Maintained Manual

**Product Details**

Partcode: ILEMES022

Check Code: 331006

Range Name: Multi-Fit

Placement / Application: Indoor, Emergency Lighting

Market Segment: Commercial indoor

Product Type: Exit Signs

Warranty: 3 Years

CE / RoHS: Yes

**Physical Data**

Base Colour: White

Globe Finish: White

Material: Polycarbonate

**Physical Data**

Length: 236mm

Length: 45m

Width: 16mm

Lamp or Luminaire Shape: Rectangle

Luminaire Fixing: Wall Mounted, Ceiling Mounted, Suspended

**Electrical Data**

Power Consumption: 1.0 Watts

Input Voltage: 220-240V

Driver included: Yes

Driver IC Manufacturer:

Electric Current: AC

Frequency Range: 50/60 Hz

Dimming: Non-dimmable

EN: Yes

**Light Data**

Useful Lumens: 50lm (Rated luminous flux in a 90° cone)

Lumens in Emergency Mode: 50lm

Beam Angle: 120°

Correlated Colour Temperature (CCT): 6000k

Colour Temperature: Cool Daylight

Colour Rendering Index (CRI):  $\geq 80$

LED Manufacturer:

LED Type: Surface mounted device (SMD)

Instant on - Less than 1 second: Yes

*Partcode: ILEMES022 / Page: 3*

### **Environmental**

Lowest Operating Temperature: 0 degrees

Maximum Operating Temperature: 40 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

### **Packaging**

EAN Barcode (unit of 1): 5055788229940

Packaged Weight (Unit of 1): 118g

Length (unit of 1): 236mm

Width (unit of 1): 45mm

Depth (unit of 1): 16mm

**Outer packaging info available on website**

*Product data last updated on: Monday, February 22, 2021 - 12:12*