



A unique, patented alarm bell designed for use in fire, security and other signalling systems. The combination of a miniature solenoid with an integrated control circuit allows excellent sound coverage, minimum current consumption and increased reliability. The improved aesthetics make the bell suitable for all applications including the most prestigious locations.


### Features

- Modern design
- Simple installation
- Weatherproof kit option
- High sound output

### Benefits

- Suitable for all locations
- Easy to fit
- Provides protection up to IP33C
- Delivers up to 95dB(A)

### Dimensions



### Technical Specification

<b>Voltage</b>	24Vdc
<b>Current</b>	24 Vdc 25 - 35mA
<b>Sound Output</b>	95dB(A)
<b>Monitoring</b>	Reverse polarity (dc only)
<b>Temperature</b>	-10°C to +55°C (Indoor) -25°C to +70°C (Outdoor)
<b>Protection</b>	IP21C, IP33C (W/P)
<b>Construction</b>	Gong - Steel, Base - Polycarbonate
<b>Weight</b>	24 Volt 1.1Kg
<b>Colours</b>	Gong - Red and Grey Base - Black

FB Bell Grey



### Catalogue Numbers

Reference	Cat No	Description
FB/024/R	502001FULL-2001	Electronic Solenoid Bell 24 Volts DC, Red
FB/024/G	502002FULL-2002	Electronic Solenoid Bell 24 Volts DC, Grey

